

A Slight Extension of “Coherent Integration Loss Due to White Gaussian Phase Noise”

Mark A. Richards

March 3, 2011

1 Goal

In [1], the integration loss L in computing the coherent sum of N samples x_n with weights a_n is considered. The coherent sum w is

$$w = \sum_{n=1}^N a_n x_n \quad (1)$$

When the samples are contaminated by stationary white Gaussian phase noise of variance σ^2 , L is given by the formula

$$L = \frac{\sum_{n=1}^N |a_n|^2 + e^{-\sigma^2} \sum_{n=1}^N \sum_{\substack{m=1 \\ n \neq m}}^N a_n a_m^*}{\left| \sum_{n=1}^N a_n \right|^2} \quad (2)$$

Reference [1] is included in its entirety in Section 5 of this note, and in the remainder we refer to the derivations and equations there to avoid repeating them.

As noted in [1], the Gaussian probability density function (PDF) assumed for the phase noise is not physically possible, since it is not confined to the interval $[-\pi, \pi]$. While the Gaussian PDF is still a very good approximation for small σ^2 , in this note we add a small extension to that analysis by re-deriving the result for a more realistic phase noise PDF.

2 The Phase Noise PDF

The PDF of interest is the “Tikhonov distribution” given by Van Trees [2]. In the notation of [1], this is

$$p_\phi(\phi_n; \alpha) = \frac{1}{2\pi I_0(\alpha)} e^{\alpha \cos \phi_n} \quad (3)$$

This PDF evidently describes the statistics of the steady state phase estimate of a first order phase locked loop tracking a sinusoid in additive white Gaussian noise. For our

purposes, it provides a family of phase PDFs that vary from uniform ($\alpha = 0$) to, in the limit, a nonrandom phase of zero as $\alpha \rightarrow \infty$, but is always confined to $[-\pi, \pi)$ and thus is always a strictly valid PDF for phase. Thus, we can consider the effect of varying degrees of phase noise, previously achieved by varying the variance in the Gaussian PDF model of [1], by instead varying α in the Tikhonov PDF. Figure 1 illustrates the Tikhonov PDF for several different values of the parameter α .




Figure 1. The Tikhonov PDF for phase.

3 Coherent Integration Loss

Following the process in [1], we need to compute the quantity Φ , which is

$$\Phi = E \left\{ e^{j\phi_n} \right\} = \frac{1}{2\pi I_0(\alpha)} \int_{-\pi}^{\pi} e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n \quad (4)$$

The integral portion of Eq. (4) can be put into a more convenient form as follows:

$$\begin{aligned}
\int_{-\pi}^{\pi} e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n &= \int_{-\pi}^0 e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n + \int_0^{\pi} e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n \\
&= -\int_{\pi}^0 e^{-j\phi_n} e^{\alpha \cos(-\phi_n)} d\phi_n + \int_0^{\pi} e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n \\
&= \int_0^{\pi} e^{-j\phi_n} e^{\alpha \cos \phi_n} d\phi_n + \int_0^{\pi} e^{j\phi_n} e^{\alpha \cos \phi_n} d\phi_n = 2 \int_0^{\pi} \cos(\phi_n) e^{\alpha \cos \phi_n} d\phi_n \\
&= 2\pi I_1(\alpha)
\end{aligned} \tag{5}$$

The last step follows from one integral form of the definition of the modified Bessel function of the first kind [3]. Thus,

$$\Phi = \frac{I_1(\alpha)}{I_0(\alpha)} \tag{6}$$

It then follows from the argument in [1] that the coherent integration loss is

$$L = \frac{\sum_{n=1}^N |a_n|^2 + \left[\frac{I_1(\alpha)}{I_0(\alpha)} \right]^2 \sum_{\substack{n=1 \\ n \neq m}}^N \sum_{m=1}^N a_n a_m^*}{\left| \sum_{n=1}^N a_n \right|^2} \tag{7}$$

and, for the case where all the $a_n \equiv 1$,

$$L = \frac{1 + \left[I_1(\alpha)/I_0(\alpha) \right]^2 (N-1)}{N} \tag{8}$$

Finally, when N is large,

$$L \approx \left[I_1(\alpha)/I_0(\alpha) \right]^2, \quad N \gg 1 \tag{9}$$

Figure 2 illustrates the loss for the case where all $a_n = 1$, i.e., Eq. (8), as a function of the number of samples integrated and the PDF spread parameter α . For large α (phase nearly constant), the loss approaches $L = 1$ (0 dB), as would be expected. As the phase PDF becomes more spread (α approaching zero), indicating a greater degree of phase noise, the loss increases, becoming relatively severe for $\alpha < 5$.




Figure 2. Loss as a function of α and N . Left: linear scale. Right: decibel scale.

The random phase case corresponds to $\alpha = 0$. For this case, Eq. (8) shows that the loss becomes, for $a_n = 1$, $L = 1/N$. This example shows that when the phase of the summed samples are all random, they add on a “power basis” instead of a voltage basis. That is, the power of the sum is N times the power of a single sample, instead of N^2 , a reduction in gain by the factor N . This, of course, is exactly the way random noise samples behave.

4 References

- [1] M. A. Richards, “Coherent Integration Loss Due to White Gaussian Phase Noise”, *IEEE Signal Processing Letters*, vol. 10, no. 7, pp. 208-210, July 2003.
- [2] H. L. Van Trees, *Detection, Estimation, and Modulation Theory, Part 1*, Wiley, 1968, p. 338.
- [3] M. Abramowitz and I. A. Stegun, editors, *Handbook of Mathematical Functions*. U.S. National Bureau of Standards, Applied Mathematics Series, 10th printing, Dec. 1972. See formula 9.6.19, p. 376.

5 Original Paper

A copy of reference [1] is included in the next three pages.¹

¹ A trivial correction concerns Eq. (15) in [1]. That expression for L is *not* in decibels, so the “dB” at the end of the equation should be deleted.

Coherent Integration Loss Due to White Gaussian Phase Noise

Mark A. Richards, *Senior Member, IEEE*

Abstract—We develop a simple analytic expression for the change in coherent weighted integration gain due to a white Gaussian error or noise in the phase of the integrated samples. Our expression is shown by simulation to be very accurate for any reasonable value of phase noise standard deviation. The result is useful in estimating the performance impact on coherent signal processing systems of oscillator noise, residual motion compensation errors, and other system imperfections that are manifested primarily as phase errors.

Index Terms—Coherent integration, integration loss, phase noise, radar, sonar.

I. DERIVATION OF COHERENT INTEGRATION ERROR

CONSIDER a series of complex data samples $x_n = Ae^{j(\phi+\phi_n)}$ where A and ϕ are constants, but the sequence $\{\phi_n\}$ are independent and identically distributed (i.i.d.) zero-mean Gaussian random variables with standard deviation σ . We consider $Ae^{j\phi}$ to be the desired measurement and ϕ_n to be a phase error. Phase errors frequently arise from phase deviations in the local oscillators of radar, sonar, and communication systems, uncompensated sensor motion errors, and other sources. The Gaussian model for phase errors is a common assumption [1], and it has been shown that oscillator phase errors are in fact Gaussian under widely applicable assumptions [2]. Note that the power (magnitude-squared) of x_n is A^2 . A weighted coherent sum of N such data values is formed as

$$w = \sum_{n=1}^N a_n x_n \quad (1)$$

where the $\{a_n\}$ are known deterministic weights. Equation (1) can model a wide variety of signal processing algorithms that involve coherent integration. Examples include coherent detection based on multiple samples, clutter cancellation, linear filtering, and computation of the discrete Fourier transform. The power in w is the random variable

$$\begin{aligned} z = |w|^2 &= ww^* \\ &= \sum_n A a_n e^{j(\phi+\phi_n)} \sum_m A a_m^* e^{-j(\phi+\phi_m)} \\ &= A^2 \sum_n \sum_m a_n a_m^* e^{j(\phi_n-\phi_m)}. \end{aligned} \quad (2)$$

Manuscript received January 14, 2002; revised September 23, 2002. The associate editor coordinating the review of this manuscript and approving it for publication was Dr. Alle-Jan van der Veen.

The author is with the School of Electrical and Computer Engineering, Georgia Institute of Technology, Atlanta, GA 30332-0250 USA (e-mail: mark.richards@ece.gatech.edu).

Digital Object Identifier 10.1109/LSP.2003.811589

We are interested in estimating the change in the power of the coherently integrated and detected sample z due to the phase noise. This change is a significant performance metric in many systems, e.g., radar moving target indication [3], [4]. The power in the coherent sum in the absence of phase noise ($\phi_n \equiv 0$) is just $A^2 \sum_n \sum_m a_n a_m^* = A^2 |\sum_n a_n|^2$. In the coherent integration case when $a_n \equiv 1 \forall n$, this simplifies to $N^2 A^2$. As another example, a radar clutter canceller always has $\sum_n a_n \equiv 0$, so the power is zero in the absence of phase noise.

When phase noise is present, z is a random variable, and we must compute its expected value

$$\begin{aligned} E\{z\} &= A^2 \sum_n \sum_m a_n a_m^* E\{e^{j(\phi_n-\phi_m)}\} \\ &= A^2 \sum_n \sum_m a_n a_m^* \Psi_{nm} \end{aligned} \quad (3)$$

where

$$\Psi_{nm} \equiv E\{e^{j(\phi_n-\phi_m)}\}.$$

Because the phase noise samples $\{\phi_n\}$ are i.i.d. and stationary, we have

$$\Psi_{nm} = \begin{cases} 1, & m = n \\ E\{e^{j\phi_n}\} E\{e^{-j\phi_m}\} = \Phi\Phi^* = |\Phi|^2, & m \neq n \end{cases} \quad (4)$$

where

$$\Phi \equiv E\{e^{j\phi_n}\}. \quad (5)$$

At this point, our problem has reduced to computing Φ .

To proceed, we need to use the specific model of the probability density function (pdf) of ϕ_n , which we denote $p_\phi(\phi_n)$. We use a zero-mean Gaussian with standard deviation σ

$$p_\phi(\phi_n) = \frac{1}{\sigma\sqrt{2\pi}} e^{-\phi_n^2/2\sigma^2}. \quad (6)$$

Strictly speaking, this is not possible: a valid pdf for a phase measurement must be limited to the interval $[0, 2\pi)$. However, if the standard deviation is small, then $p_\phi(\phi_n)$ will approach zero as ϕ_n approaches $\pm\pi$, and the Gaussian is a useful model. In practice, we are interested in standard deviations of only a few degrees, so that $\pm\pi$ corresponds to many standard deviations out on the tail of the Gaussian distribution.

By definition, we have for $m \neq n$

$$\begin{aligned} \Phi &= E\{e^{j\phi_n}\} \equiv \int_{-\pi}^{\pi} e^{j\phi_n} p_\phi(\phi_n) d\phi_n \\ &\approx \int_{-\infty}^{\infty} e^{j\phi_n} p_\phi(\phi_n) d\phi_n \end{aligned} \quad (7)$$

where the approximation relies again on the variance of the Gaussian being small, so that the pdf is effectively nonzero only

in a small region around $\phi = 0$. Substituting in the definition of the Gaussian pdf, we obtain

$$\Phi = \frac{1}{\sigma\sqrt{2\pi}} \int_{-\infty}^{\infty} e^{j(\phi_n - (1/2\sigma^2)\phi_n^2)} d\phi_n. \quad (8)$$

Integral number 3.323 2 in [5] is

$$\int_{-\infty}^{\infty} e^{qy - p^2 y^2} dy = \frac{\sqrt{\pi}}{p} e^{q^2/4p^2}. \quad (9)$$

By identifying

$$p = \frac{1}{\sigma\sqrt{2}}; \quad q = j; \quad x = \phi_n \quad (10)$$

we can put (8) into the form of (9) and conclude that

$$\Phi = \frac{1}{\sigma\sqrt{2\pi}} e^{j^2/4(1/2\sigma^2)} \frac{\sqrt{\pi}}{\left(\frac{1}{\sigma\sqrt{2}}\right)} = e^{-\sigma^2/2} \quad (11)$$

and

$$|\Phi|^2 = e^{-\sigma^2}. \quad (12)$$

We can now return to Ψ_{mn} , which becomes

$$\Psi_{nm} = \begin{cases} 1, & m = n \\ e^{-\sigma^2}, & m \neq n. \end{cases} \quad (13)$$

Finally, the mean power of the coherently integrated measurement with phase noise is

$$E\{z\} = A^2 \left[\sum_{n=1}^N |a_n|^2 + e^{-\sigma^2} \sum_{n=1}^N \sum_{\substack{m=1 \\ m \neq n}}^N a_n a_m^* \right]. \quad (14)$$

This is the desired result. It is easily computed given the phase noise variance σ^2 and the weighting coefficients $\{a_n\}$.

The case where $a_n \equiv 1$ for all n is of special interest; this is the model for coherent integration of samples for detection, for example. It is common to compute the integration loss L , in this case, defined as the ratio of the power when phase noise is present to the power when it is not

$$L = \frac{E\{z\}}{A^2 \left| \sum_{n=1}^N a_n \right|^2} = \frac{\sum_{n=1}^N |a_n|^2 + e^{-\sigma^2} \sum_{n=1}^N \sum_{\substack{m=1 \\ m \neq n}}^N a_n a_m^*}{\left| \sum_{n=1}^N a_n \right|^2} \text{ dB}. \quad (15)$$




Fig. 1. Comparison of "exact" formula for the change in integrated power due to phase noise (16) to the simplified approximation (17) as a function of the number of samples integrated N . $\sigma = 5^\circ$.

With $a_n \equiv 1$, (15) simplifies to

$$L = \left[\frac{N + e^{-\sigma^2} N(N-1)}{N^2} \right] = \left[\frac{1 + e^{-\sigma^2} (N-1)}{N} \right]. \quad (16)$$

If N is large, we can further simplify (16) to

$$L \cong e^{-\sigma^2}, \quad N \gg 1. \quad (17)$$

Finally, this approximation is especially simple when expressed in decibels

$$L \cong 10 \log_{10} \left[e^{-\sigma^2} \right] = -4.343\sigma^2 \text{ dB}, \quad N \gg 1. \quad (18)$$

The basic result of (14) can be used for calculations other than integration loss. For example, a two-pulse radar clutter canceller can be modeled by choosing $N = 2$, $a_1 = +1$, and $a_2 = -1$. The power computed using (14) is then the limit on clutter attenuation due to phase noise. Approximating $\exp(-\sigma^2)$ by the first two terms of its power series gives the classical approximations for clutter attenuation found in [3] and [4] (after adjusting for their use of real, rather than complex, signals). Our result is applicable over a larger range of phase variance.

Fig. 1 shows the difference in the coherent integration loss formula (16) for L and the large- N approximation of (17) as a function of the number of samples integrated N for the specific example of $\sigma = 5^\circ$. The difference in the predicted mean loss is less than 0.01 dB for $N > 4$ samples. As the phase variance rises, the value of N for which the error in the approximation is less than 0.01 dB also rises, reaching $N = 14$ for $\sigma = 10^\circ$ and $N = 55$ for $\sigma = 20^\circ$. However, these are quite large values of phase error; the approximation of (17) or (18) is very good for a small number of samples integrated and reasonably small values of phase error.

II. VALIDATION BY SIMULATION

A simple MATLAB Monte Carlo simulation has been implemented to validate the estimated loss of (16). A sequence of unit




Fig. 2. Agreement between simulated and analytically estimated (16) coherent integration loss due to phase noise. $N = 10$ samples integrated, 1000 Monte Carlo trials. (Left ordinate) Simulated and predicted integration loss are nearly indistinguishable. (Right ordinate) Difference in the two curves. For this case, it is well under 0.001 dB.

amplitude ($A = 1$) complex phasors with a zero-mean Gaussian phase is generated. The samples are then numerically integrated (summed). The magnitude-squared of the sum is computed, and then normalized by the power without phase noise and converted to decibels. Fig. 2 compares this Monte Carlo estimate

of L against the analytically predicted value given in (16) for $N = 10$ samples integrated and 1000 Monte Carlo trials averaged. We see that the analytical prediction is an excellent match to the simulated data. The difference between the two curves in decibels is plotted against the right ordinate and is well under 0.001 dB for this case. For larger N , the variance of the integration loss is less and the curves are an even closer fit. The error between simulated and predicted loss for $N = 10$ does not exceed 0.01 dB until the phase noise variance is about 20° , a large value. At this latter level of phase variance, the “3-sigma” points are $\pm 60^\circ$, and the approximations to the phase pdf and the change of integration limits from $\pm\pi$ to $\pm\infty$, which both relied on a “narrow Gaussian” pdf, are becoming invalid.

REFERENCES

- [1] C. M. Lo and W. H. Lam, “Error probability of binary phase shift keying in Nakagami- m fading channel with phase noise,” *Electron. Lett.*, vol. 26, no. 21, pp. 1773–1774, Oct. 2000.
- [2] A. Demir, A. I. Mehrotra, and J. Roychowdhury, “Phase noise in oscillators: A unifying theory and numerical methods for characterization,” *IEEE Trans. Circuits Syst. I*, vol. 47, pp. 655–674, May 2000.
- [3] M. I. Skolnik, *Introduction to Radar Systems*, 3rd ed. New York: McGraw-Hill, 2001.
- [4] E. E. Nathanson, *Radar Design Principles*, 2nd ed. New York: McGraw-Hill, 1991.
- [5] I. S. Gradshteyn and I. M. Ryzhik, *Tables of Integrals, Series, and Products*. New York: Academic, 1980.